(1) Accident model for minor highway improvements, An: *N. R. Shepherd and S. R. Lowe* (7/8.371)
(2) Anything but pedestrian (conference report): *A. Ramsey* (9.438)
(3) Area-wide approach to urban road safety—evaluation of schemes by monitoring of traffic and accidents: *H. Ward and R. Allsop* (9.424)
(4) Aspects of headway distributions and platooning on major roads: *V. Chrissikopoulos, J. Darzentas and M. R. C. McDowell* (5.268)
(5) Assessing the influence of crowding, distance, flow and crossings costs on origin-destination trip matrices: *R. Vaughan* (7/8.389)—*See also* (9.449)
(6) Attitudes to town-centre pedestrian streets and buses—a case-study in Barnsley: *A. D. May, S. J. Case, S. Jones and J. R. Woodside* (11.532)

(7) Behavioural means for saving pavements: *H. Summala* (7/8.380)

(8) Camden's public transport accessibility model: *D. H. Pike and E. Vougioukas* (1.15)
(9) Capacity of a priority intersection—two approaches, The: *A. W. Plank* (2.88)
(10) Car parking standards and the urban economy: *S. L. Haworth and I. C. Hilton* (11.537)
(11) Car parking standards in development control (conference report): *S. L. Haworth and I. C. Hilton* (2.86)
(12) Case for heavier goods vehicles—some new evidence, The: *P. J. Mackie and S. B. Harding* (11.544)
(13) Citizen participation approach—a new approach to quality of service, The: *D. Galin* (7/8.377)
(14) Collapse of parking enforcement in large towns—some causes and solutions, The: *J. R. Elliott and C. C. Wright* (6.304)
Conference reports: *See* (2)(11)(17)(41)(52)
(15) Controlling traffic on Dutch motorways: (1.23)
(16) Co-ordinating vehicle-actuated traffic signals to reduce vehicular fuel consumption: *W. A. Stimpson and G. M. Takasaki* (10.482)
(17) Cutting costs in public transport (conference report): *D. Silcock* (5.287)

(18) Delays to pedestrians crossing the road at a random point: *J. Hunt and S. Williams* (4.216)
(19) Department of Transport's new specification for microprocessor traffic signal controllers, The: *G. H. Lloyd and P. E. L. Dyer* (4.200)
(20) Design of a county-wide traffic monitoring system: *I. Harrison* (1.2)
(21) Determining appropriate sample sizes when two means are to be compared *N. Skelton* (1.29)
(22) Distance travelled by 'second' cars, The: *P. B. Goodwin and M. J. H. Mogridge* (12.599)

(23) Effect of overtaken vehicle speed and length on overtaking behaviour on two-lane rural roads: *R. J. Troutbeck* (6.318)
(24) Effect of zone size and network detail on all-or-nothing and equilibrium assignment outcomes: *G. R. M. Jansen and P. H. L. Bovy* (6.311)
(25) Effects of overlap phases and extended pedestrian green times at 35 Pelican crossings in London, The: *J. R. Landles* (10.499)
(25a) Emissions from motor vehicles: *D. J. Case* (3.139)
(26) Evaluation of reversible lanes: *K. R. Agent and J. D. Clark* (11.551)
(27) Experiment to investigate saturation flows at traffic signal junctions, An: *R. M. Kimber and M. C. Semmens* (3.110)

(28) FLEXSYT—computer-aided design of programs for vehicle-actuated controlled networks: *D. van Bekkum* (3.128)

(29) Implications of the development of a self-tuning vehicle detector for traffic signals, The: *C. S. Baker and B. Jefferis* (5.272)
(30) Interactive traffic data capture and analysis system, An: *A. J. Walker* (3.122)

Letters to the Editor: *See* (45)(47)
(31) Local authority's role in cycle planning, The: *J. Nicholson* (9.443)
(32) Loop sensors for vehicle classification: *P. Davies, D. R. Salter and M. Bettison* (2.55)

(33) Method for comparative evaluation of accident countermeasures for application in residential areas, A: *D. T. Silcock and R. T. Walker* (9.430)
(34) Method of estimating the benefits of co-ordinating signals by TRANSYT and SCOOT: *D. I. Robertson and P. B. Hunt* (11.527)
(35) Microprocessor vehicle monitor—fuel consumption measurement: *P. A. Lewis and H. T. Tillotson* (11.556)

(36) Network travel behaviour, 'levels of choice' and urban transportation management: *S. Teply* (2.71)
(37) New specification for inductive loop detectors, A: *J. R. Head* (4.186)
(38) Non-junction accident rates and their use in 'black-spot' identification: *D. R. D. McGuigan* (2.60)

(39) O-D matrix production from cordon survey data: *M. L. Echenique and I. N. Williams* (12.584)

(40) Parking elasticity—a tool for policy implementation?: *S. L. Haworth and I. C. Hilton* (7/8.365)
(41) Parking enforcement (conference report): *A. D. May* (6.345)
(42) Parking surveys and the use of VISTA in West Sussex: *A. M. Brown and A. Churly* (12.590)
(43) Practical implementation of SCOOT traffic control systems, The *J. Walmsley* (4.196)
(44) Practice of British bus operators in planning urban bus services, The: *T. A. Chua and D. T. Silcock* (2.66)
(45) Prediction of accidents at intersections, The (Letter to the Editor): *G. Hodge* (6.340)
(46) Power density spectra and detector distance: *C. Brouwer* (7/8.382)

(47) 'Quick' plan change algorithm for area traffic control systems, The (Letter to the Editor): *D. H. Brantigan* (7/8.374)

(48) Real-time wide area traffic control—the user's viewpoint: *D. J. Clowes* (4.194)
(49) Research and Development background to *Highway Link Design*, The: *D. Simpson and J. A. Kerman* (9.414)
(50) Response of Shire Counties to the question of transport needs, The: *D. Banister* (10.488)
(51) Review of the plan timings for Leicestershire County Council's Urban Traffic Control system, A: *R. W. Pye* (10.474)
(52) Road traffic signalling—a conference preview: (3.125)

(53) São Paulo traffic control scheme, The: *D. G. Wenham* (3.117)
(54) SATURN—a modern assgnment model: *D. Van Vliet* (12.578)
(55) SATURN models traffic management options in Liverpool: *A. Choraffa and L. J. A. Ferreira* (7/8.376)
(56) Scheduled buses *versus* 'Servis' taxis in Amman, Jordan: *R. D. Coombe and J. M. Thomson* (6.333)
SCOOT (Split, Cycle and Offset Optimisation Technique): *See* (34)(43)(48)(57)(71)
(57) SCOOT on-line traffic signal optimisation technique, The: *P. B. Hunt, D. I. Robertson, R. D. Bretherton and M. C. Royle* (4.190)
(58) Shopper and vehicle characteristics at large retail shopping centres: *G. R. Leake and D. J. Turner* (1.8)

(59) 'Talking' Pelican crossing—the introduction of a novel aid for the blind, The: *V. McCann and B.Cross* (5.264)
(60) Time series forecasting applied to cost-sensitive data—an example using Tyne Tunnel traffic and tolls: *H. E. Smart and J. B. H. Ramsey* (10.492)
(61) Traffic accidents in Kuwait: *K. S. Jadaan and R. J. Salter* (4.221)
(62) Transport Operations Research Group, University of Newcastle upon Tyne—Progress Report 1981: *D. T. Silcock* (4.213)

(1) Accident model for minor highway improvements, An: *N. R. Shepherd and S. R. Lowe* (7/8.371)
(2) Anything but pedestrian (conference report): *A. Ramsey* (9.438)
(3) Area-wide approach to urban road safety—evaluation of schemes by monitoring of traffic and accidents: *H. Ward and R. Allsop* (9.424)
(4) Aspects of headway distributions and platooning on major roads: *V. Chrissikopoulos, J. Darzentas and M. R. C. McDowell* (5.268)
(5) Assessing the influence of crowding, distance, flow and crossings costs on origin-destination trip matrices: *R. Vaughan* (7/8.389)—*See also* (9.449)
(6) Attitudes to town-centre pedestrian streets and buses—a case-study in Barnsley: *A. D. May, S. J. Case, S. Jones and J. R. Woodside* (11.532)

(7) Behavioural means for saving pavements: *H. Summala* (7/8.380)

(8) Camden's public transport accessibility model: *D. H. Pike and E. Vougioukas* (1.15)
(9) Capacity of a priority intersection—two approaches, The: *A. W. Plank* (2.88)
(10) Car parking standards and the urban economy: *S. L. Haworth and I. C. Hilton* (11.537)
(11) Car parking standards in development control (conference report): *S. L. Haworth and I. C. Hilton* (2.86)
(12) Case for heavier goods vehicles—some new evidence, The: *P. J. Mackie and S. B. Harding* (11.544)
(13) Citizen participation approach—a new approach to quality of service, The: *D. Galin* (7/8.377)
(14) Collapse of parking enforcement in large towns—some causes and solutions, The: *J. R. Elliott and C. C. Wright* (6.304)
Conference reports: *See* (2)(11)(17)(41)(52)
(15) Controlling traffic on Dutch motorways: (1.23)
(16) Co-ordinating vehicle-actuated traffic signals to reduce vehicular fuel consumption: *W. A. Stimpson and G. M. Takasaki* (10.482)
(17) Cutting costs in public transport (conference report): *D. Silcock* (5.287)

(18) Delays to pedestrians crossing the road at a random point: *J. Hunt and S. Williams* (4.216)
(19) Department of Transport's new specification for microprocessor traffic signal controllers, The: *G. H. Lloyd and P. E. L. Dyer* (4.200)
(20) Design of a county-wide traffic monitoring system: *I. Harrison* (1.2)
(21) Determining appropriate sample sizes when two means are to be compared *N. Skelton* (1.29)
(22) Distance travelled by 'second' cars, The: *P. B. Goodwin and M. J. H. Mogridge* (12.599)

(23) Effect of overtaken vehicle speed and length on overtaking behaviour on two-lane rural roads: *R. J. Troutbeck* (6.318)
(24) Effect of zone size and network detail on all-or-nothing and equilibrium assignment outcomes: *G. R. M. Jansen and P. H. L. Bovy* (6.311)
(25) Effects of overlap phases and extended pedestrian green times at 35 Pelican crossings in London, The: *J. R. Landles* (10.499)
(25a) Emissions from motor vehicles: *D. J. Case* (3.139)
(26) Evaluation of reversible lanes: *K. R. Agent and J. D. Clark* (11.551)
(27) Experiment to investigate saturation flows at traffic signal junctions, An: *R. M. Kimber and M. C. Semmens* (3.110)

(28) FLEXSYT—computer-aided design of programs for vehicle-actuated controlled networks: *D. van Bekkum* (3.128)

(29) Implications of the development of a self-tuning vehicle detector for traffic signals, The: *C. S. Baker and B. Jefferis* (5.272)
(30) Interactive traffic data capture and analysis system, An: *A. J. Walker* (3.122)

Letters to the Editor: *See* (45)(47)
(31) Local authority's role in cycle planning, The: *J. Nicholson* (9.443)
(32) Loop sensors for vehicle classification: *P. Davies, D. R. Salter and M. Bettison* (2.55)

(33) Method for comparative evaluation of accident countermeasures for application in residential areas, A: *D. T. Silcock and R. T. Walker* (9.430)
(34) Method of estimating the benefits of co-ordinating signals by TRANSYT and SCOOT: *D. I. Robertson and P. B. Hunt* (11.527)
(35) Microprocessor vehicle monitor—fuel consumption measurement: *P. A. Lewis and H. T. Tillotson* (11.556)

(36) Network travel behaviour, 'levels of choice' and urban transportation management: *S. Teply* (2.71)
(37) New specification for inductive loop detectors, A: *J. R. Head* (4.186)
(38) Non-junction accident rates and their use in 'black-spot' identification: *D. R. D. McGuigan* (2.60)

(39) O-D matrix production from cordon survey data: *M. L. Echenique and I. N. Williams* (12.584)

(40) Parking elasticity—a tool for policy implementation?: *S. L. Haworth and I. C. Hilton* (7/8.365)
(41) Parking enforcement (conference report): *A. D. May* (6.345)
(42) Parking surveys and the use of VISTA in West Sussex: *A. M. Brown and A. Churly* (12.590)
(43) Practical implementation of SCOOT traffic control systems, The *J. Walmsley* (4.196)
(44) Practice of British bus operators in planning urban bus services, The: *T. A. Chua and D. T. Silcock* (2.66)
(45) Prediction of accidents at intersections, The (Letter to the Editor): *G. Hodge* (6.340)
(46) Power density spectra and detector distance: *C. Brouwer* (7/8.382)

(47) 'Quick' plan change algorithm for area traffic control systems, The (Letter to the Editor): *D. H. Brantigan* (7/8.374)

(48) Real-time wide area traffic control—the user's viewpoint: *D. J. Clowes* (4.194)
(49) Research and Development background to *Highway Link Design*, The: *D. Simpson and J. A. Kerman* (9.414)
(50) Response of Shire Counties to the question of transport needs, The: *D. Banister* (10.488)
(51) Review of the plan timings for Leicestershire County Council's Urban Traffic Control system, A: *R. W. Pye* (10.474)
(52) Road traffic signalling—a conference preview: (3.125)

(53) São Paulo traffic control scheme, The: *D. G. Wenham* (3.117)
(54) SATURN—a modern assgnment model: *D. Van Vliet* (12.578)
(55) SATURN models traffic management options in Liverpool: *A. Choraffa and L. J. A. Ferreira* (7/8.376)
(56) Scheduled buses *versus* 'Servis' taxis in Amman, Jordan: *R. D. Coombe and J. M. Thomson* (6.333)
SCOOT (Split, Cycle and Offset Optimisation Technique): *See* (34)(43)(48)(57)(71)
(57) SCOOT on-line traffic signal optimisation technique, The: *P. B. Hunt, D. I. Robertson, R. D. Bretherton and M. C. Royle* (4.190)
(58) Shopper and vehicle characteristics at large retail shopping centres: *G. R. Leake and D. J. Turner* (1.8)

(59) 'Talking' Pelican crossing—the introduction of a novel aid for the blind, The: *V. McCann and B.Cross* (5.264)
(60) Time series forecasting applied to cost-sensitive data—an example using Tyne Tunnel traffic and tolls: *H. E. Smart and J. B. H. Ramsey* (10.492)
(61) Traffic accidents in Kuwait: *K. S. Jadaan and R. J. Salter* (4.221)
(62) Transport Operations Research Group, University of Newcastle upon Tyne—Progress Report 1981: *D. T. Silcock* (4.213)

(63) Transport research at the University of Leeds—Report for 1981: *H. R. Kirby* (3.146)
(64) Transport Studies Group, University College London—Progress Report 1981: *R. E. Allsop* (2.81)
(65) Transport Studies Unit, Oxford University—Annual Report 1980–81: *P. B. Goodwin* (1.38)
(66) Travel transferability between four cities: *Y. Zahavi* (4.203)
(67) Trends in G. B. vehicle fuel efficiency, 1970–70: *P. Rice* (4.224)
(68) 21 years of traffic engineering in Johannesburg: *R. J. Brown and J. D. Sampson* (5.254)

(69) University courses in transport, 1982–1983: (5.280)
University Progress Reports: *See* (62)(63)(64)(65)
(70) Use of CONTRAM in London, The: *M. Talbot and M. Murray-Clark* (12.605)
(71) Use of SCOOT in low flow conditions, The: *R. D. Bretherton and G. I. Rai* (12.574)

(72) Validation of a road traffic model: *T. M. Mendes and M. G. Hartley* (10.502)

Agent, K. R. (26)
Allsop, R. E. (3) (64)

Baker, C. S. (29)
Banister, D. (50)
Bettison, M. (32)
Bovy, P. H. L. (24)
Brantigan, D. H. (47)
Bretherton, R. D. (57) (71)
Brouwer, C. (46)
Brown, A. M. (42)
Brown, R. J. (68)

Case, D. J. (25a)
Case, S. J. (6)
Choraffa, (55)
Chrissikopoulos, V. (4)
Chua, T. A. (44)
Churly, A. (42)
Clark, J. D. (26)
Clowes, D. J. (48)
Coombe, R. D. (56)
Cross, B. (59)

Darzentas, J. (4)
Davies, P. (32)
Dyer, P. E. L. (19)

Echenique, M. L. (39)
Elliott, J. R. (14)

Ferreira, L. J. A. (55)

Galin, D. (13)
Goodwin, P. B. (22) (65)

Harding, S. B. (12)
Harrison, I. (20)
Hartley, M. G. (72)
Haworth, S. L. (10) (11) (40)
Head, J. R. (37)
Hilton, I. C. (10) (11) (40)
Hodge, G. (45)
Hunt, J. (18)
Hunt, P. B. (34) (57)

Jadaan, K. S. (61)
Jansen, G. R. M. (24)
Jefferis, B. (29)
Jones, 2. (6)

Kerman, J. A. (49)
Kimber, R. M. (27)
Kirby, H. R. (63)

Landles, J. R. (25)
Leake, G. R. (58)
Lewis, P, A. (35)
Lloyd, G. H. (19)
Lowe, S. R. (1)

Mackie, P. J. (12)
May, A. D. (6) (41)
McCann, V. (59)
McDowell, M. R. C. (4)
McGuigan, D. R. D. (38)
Mendes, T. M. (72)
Mogridge, M. J. H. (22)
Murray-Clark, M. (70)

Nicholson, J. (31)

Pike, D. H. (8)
Plank, A. W. (9)
Pye, R. W. (51)

Rai, G. I. (71)
Ramsay, A. (2)
Ramsey, J. B. H. (60)
Rice, P. (67)
Robertson, D. I. (34) (57)
Royle, M. C. (57)

Salter, D. R. (32)
Salter, R. J. (61)
Sampson, J. D. (68)
Semmens, M. C. (27)
Shepherd, N. R. (1)
Silcock, D. T. (17) (33) (44) (62)
Simpson, D. (49)

Skelton, N. (21)
Smart, H. E. (60)
Stimpson, W. A. (16)
Summala, H. (7)

Takasaki, G. M. (16)
Talbot, M. (70)
Teply, S. (36)
Thomson, J. M. (56)
Tillotson, H. T. (35)
Troutbeck, R. J. (23)
Turner, D. J. (58)

van Bekkum, D. (28)
Van Vliet, D. (54)
Vaughan, R. (5)
Vougioukas, E. (8)

Walker, A. J. (30)
Walker, R. T. (33)
Walmsley, J. (43)
Ward, H. (3)
Wenham, D. G. (53)
Williams, I. N. (39)
Williams, S. (18)
Woodside, J. R. (6)
Wright, C. C. (14)

Zahavi, Y. (66)

TEC Publications from Printerhall Ltd, 29 Newman Street, London W1P 3PE

TRAFFEX 79 CONFERENCE PROCEEDINGS — £7.50
Including 12 papers on Public Transport Plans and TPPs; road safety; and automation trends in road traffic management

TRAFFEX 77 CONFERENCE PROCEEDINGS — £7.50
Including 17 papers on County Councils' transport responsibilities; road safety; traffic policing studies; and parking in relation to recreational needs

THE PROBLEMS OF NOISE AND THE 'QUIET TOWN' EXPERIMENT — £5.50
The Proceedings of the Noise Seminar held in Darlington, September 5–7, 1978

VOCABULARY OF TRAFFIC ENGINEERING TERMS — £1.00

TRANSPORTATION SYSTEM MANAGEMENT: — £2.00
TSM-type projects in six selected European countries
by Professor Adolf D. May and Dick Westland

The improved design of VOLUME BINDERS now available to readers of *Traffic Engineering & Control* securely and conveniently retains a year's copies not by metal rods, but by bonded nylon cords of great strength and durability—these can be stretched 3–4 inches from the spine to allow the easy insertion or removal of individual issues.

Each binder—covered in red Balacron PVC-coated board, and with the journal's name in gold foil on the spine—is supplied with a gold-foil, self-adhesive abbreviation of the Volume Number and Calendar Year—e.g. 23–82 for Vol. 23, 1982; 24–83 for Vol. 24, 1983; and so on—which is easily affixed to a special panel on the spine. *It is essential that, when ordering, you specify the Calendar Year required.*

The binders cost £3.00 ($6.00) each, inclusive of inland/overseas postage, giving readers the opportunity to shelve their year's copies of *Traffic Engineering & Control* neatly and at the very reasonable cost of about 25 pence or 50 cents an issue. Send your instructions (remembering to specify a Calendar Year, and enclosing payment if possible) to Printerhall Ltd, 29 Newman Street, London W1P 3PE.

This publication is available in microform.



University Microfilms International

300 North Zeeb Road
Dept. P.R.
Ann Arbor, Mi. 48106
U.S.A.

30-32 Mortimer Street
Dept. P.R.
London W1N 7RA
England